



INTERIOR/EXTERIOR

NOVA-CLEAR

HIGH PERFORMANCE WATERBORNE CLEAR WOOD COATING



THE NOVA-CLEAR SYSTEM

Sanding Sealer | Matte | Eggshell | Semi-Gloss | Gloss

MEETS OR EXCEEDS APPLICABLE KCMA PERFORMANCE REQUIREMENTS



Nova-Clear is a high-performance waterborne coating formulated for wood substrates. When applied according to the manufacturer's recommendations, the complete coating system meets or exceeds applicable Kitchen Cabinet Manufacturers Association® (KCMA) performance requirements.

KEY BENEFITS

- **Tough, Everyday Durability**
Excellent resistance to abrasion, moisture & common household chemicals
- **Waterborne Convenience**
Easy water cleanup with performance typical of two-component systems
- **Fast Dry Times**
Quicker turnaround & earlier return to service
- **Non-Yellowing**
Maintains color clarity & long-term appearance
- **Low VOC (< 100 g/L)**
Meets stringent VOC requirements for field & shop applications
- **Low Odor**
Minimizes disruption in occupied spaces



EXPLORE THE NOVA-CLEAR LINE

	NC01 Sanding Sealer		NC40 Semi-Gloss
	NC10 Matte		NC50 Gloss*
	NC30 Eggshell	*Available as a special-order product.	

IDEAL FOR:





NOVA-CLEAR



HIGH PERFORMANCE WATERBORNE CLEAR WOOD FINISHING SYSTEM

MEETS OR EXCEEDS APPLICABLE KCMA PERFORMANCE REQUIREMENTS*

THE NOVA-CLEAR SYSTEM

Sanding Sealer + Matte | Eggshell | Semi-Gloss | Gloss†

The recommended coating system consists of 1 coat of Nova-Clear Sanding Sealer, applied at 3-4 mils wet, followed by 1-2 coats of Nova-Clear Topcoat in the desired sheen, also applied at 3-4 mils per coat. Nova-Clear may also be used as a self-sealing system by applying 2-3 coats of the Topcoat at 3-4 mils wet per coat. The total dry film thickness of the complete coating system must not exceed 5 mils.

Ideal for: Kitchen & Bathroom Cabinetry, Architectural Millwork, Furniture, & Shutters

WHY NOVA-CLEAR

- **TOUGH, EVERYDAY DURABILITY** Provides excellent resistance to abrasion, moisture, and common household chemicals
- **FAST DRY TIMES**
 - Enables faster turnaround and earlier return to service
- **NON-YELLOWING**
 - Maintains color clarity and long-term appearance
- **WATERBORNE CONVENIENCE**
 - Offers easy water cleanup with performance typically associated with two-component systems
- **VERY LOW VOC (< 100 g/L)**
 - Meets stringent VOC requirements for both field and shop applications
- **LOW ODOR**
 - Minimizes disruption in occupied spaces



*When the complete coating system is applied according to the manufacturer's recommendations.

†Gloss is available as a special-order product.



Nova-Clear is a high-performance, pre-catalyzed waterborne urethane coating formulated for wood substrates. When applied according to the manufacturer's recommendations, the complete coating system meets or exceeds applicable Kitchen Cabinet Manufacturers Association (KCMA) performance requirements.

KEY BENEFITS

Tough, Everyday Durability

- Excellent resistance to abrasion, moisture & common household chemicals

Fast Dry Times

- Faster turnaround & earlier return to service

Very Low VOC (< 100 g/L)

- Meets stringent VOC requirements for field & shop applications

Waterborne Convenience

- Easy water cleanup with performance typical of two-component systems

Non-Yellowing

- Maintains color clarity & long-term appearance

Low Odor

- Minimizes disruption in occupied spaces



SHEEN LEVELS



**Available as a special-order product.*

IDEAL FOR:

